Intermediate Level Questions

1) What is the o/p of following program

```
#include
int main()
{
float a=1.5f;
while(a)
{
printf("%.f ",a);
a-=.5f;
}
return 0;
}
Answer____?
```

2) Selection sort and quick sort fall into the same category of sorting algorithms. What is the category?

- O(n log n)sorts
- Interchange Sorts
- Divide-and-conquer sorts
- Average time is quadratic

Answer_____?

3) Which of the following are benefits of the Collection

- Collection have builtin sorting facility.
- They provide best performance because they are indexed.
- We have to manage memory of collections as we require.
- Collections cannot be readonly or of fixed size.
- We can easily iterate through the collection

Answer_____?

4) MaskedTextBox properties are _____

- Text
- Mask
- Prompt Char
- All the above

Answer_____?

5) What is the output of this program?

```
#include
using namespace std;
int main()
{
int age = 0;
try
ł
if (age < 0)
throw "Positive Number Required";
}
cout << age;</pre>
}
catch(const char *Message)
cout << "Error: " << Message;</pre>
}
return 0;
}
       0
       Error:Positive Number Required
٠
       compile time error
•
       none of the mentioned
•
```

Answer_____?

6) Which of the following is true about passport authentication?

• Passport authentication is not available in ASP.NET

- Passport authentication is provided by Microsoft
- Passport authentication returns a token if the authentication was successful
- None of the above

Answer_____?

7) The functions COUNT(), MIN() and MAX() cannot take as input which of the following data type?

- int
- char
- decimal
- date

}

Answer_____?

8) [Outputcache(Duration=10)]

public ActionResult GetTime()
{
 object time=DateTime.Now.ToLongTimeString();
 return View(time);

Which of the following is correct about given snippet.

- Any user will get same time up to 10min.
- Different users will get their own server time
- Time will increase normally

Answer____?

9) [HttpPost]

[Outputcache (Duration=10),VaryByParam="Name"] public ActionResult GetTime(string Name) { object time=DateTime.Now.ToLongTimeString()+ " " +Name; return View(time); }

Answer____?

10) Which of the following is correct if multiple users are using the above snippet?

?

- Same output for every user up to 10min.
- Name changes Output also changes.
- Compilation Error

Answer_____
11) Objects written as name value pairs are similar to

Associative arrays in PHP

- Hash tables in C
- Hash maps in Java
- all

Answer_____?

•

12) _______ is an inline element and it can be used to group inline-elements in an HTML document. This tag also does not provide any visual change on the block but has meaning when it is used with CSS.

- span
- Div
- P
- H1

Answer_____?

13) How to set values from the elements

- \$("input: text).val("Hello");
- \$("input: text[name="Hello"]").val();
- \$("input: text[name='txt']").val("Hello");
- \$("input:[name='txt']").val("Hello");

Answer_____?

- 14) ______ attribute is used to place elements in horizontal stack?
- Orientation="horizontal
- Orientation="Vertical"
- Orientation="Top"
- Orientation="Right" Answer____?

15) Which API function is used to read web.config appSettings

- System.Configuration.AppSettings["k1"];
- System.ConfigurationManager.AppSettings["k1"];
- System.ConfigurationManager.AppSettings["k1"];
- System.Configuration.WebSettings["k1"];
- None of the above Answer____?